


Phillips Lytle LLP

Attorneys at Law

**RECEIVED
CENTRAL FAX CENTER**
JUN 15 2006

3400 HSBC Center, Buffalo, NY 14203-2887 Phone 716 847 8400 Fax 716 852 6100
 Buffalo Albany Chautauqua Garden City New York Rochester www.phillipslytle.com

Facsimile Transmission Cover Sheet
Please Deliver The Attached Document ASAP

Confidentiality Notice

This transmission is intended only for the use of the individual or entity to which it is addressed and may contain confidential information belonging to the sender which is protected by the attorney-client privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this information is strictly prohibited. If you have received this transmission in error, immediately notify us by telephone to arrange for its return.

DATE: June 15, 2006

TIME: _____

PAGES: Cover + 3
TO:
FAX NUMBER:

Examiner Sean E. Conley

571-273-8300

COMMENTS:

FROM: Peter K. Sommer	EQUITRAC INIT: PKS2	EXT.: 8345
CLIENT:	Client/Matter #: 20420.3	
RE:	Attorney ID #: 121	

If you do not receive all pages as indicated, please notify us IMMEDIATELY at 716 847 5423
Original Mailed? No

Albany Office Omni Plaza 30 South Pearl Plaza Albany, NY 12207-3425 Fax 518 472 1227 Phone 518 472 1224
 Chautauqua Offices 8 East Third St Suite PO Box 1279 Jamestown, NY 14702-1279 Fax 716 664 4230 Phone 716 664 3906
 11 East Main Street PO Box 149 Fredonia, NY 14063 Fax 716 672 7979 Phone 716 672 2164
 Garden City Office 1100 Franklin Ave 4th Floor Garden City, NY 11530 Fax 516 742 3910 Phone 716 672 2164
 New York City Office 437 Madison Avenue 34th Floor New York, NY 10022 Fax 212 308 9079 Phone 212 759 4888
 Rochester Office 1400 First Federal Plaza Rochester, NY 14614 Fax 585 232 3141 Phone 585 238 2000



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.: 10/765,807

Confirmation No. 2456

Applicant: James F. Garvey *et al.*

Filed: January 27, 2004

For: METHOD OF ALTERING A
FLUID-BORNE CONTAMINANT

TC/A.U.: 1744

Docket No.: 20420.00003

Cust. No.: 01342

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450**SUPPLEMENTAL AMENDMENT**

Sir:

In further response to the Office Action of March 24, 2006, it was recently noticed that a portion of the argument in the Amendment dated June 6, 2006 contains an error.


More particularly, the paragraph at the bottom of page 8 of the Amendment dated June 6, 2006 should be corrected as follows:

As indicated above, Applicants are not claiming a positive-displacement pump or a Roots blower *per se* as an apparatus. Rather, Applicants are claiming a method of altering a fluid-borne contaminant which comprises the steps of: providing a positive-displacement pump, connecting the pump inlet to a source of contaminated fluid, and operating the pump at a pressure ratio sufficient to elevate the pressure and temperature of the fluid and contaminants passing through the pump to alter substantially all of the contaminants passing through the pump. The normalized pressure v. temperature normalized time characteristics of the prototype pump are shown below:

Appl. No. 10/765,807

Supplemental Amendment dated June 15, 2006


Response to Office Action of March 24, 2006



This Supplemental Amendment simply corrects the inadvertent error in the Amendment filed on June 6, 2006.

Respectfully submitted,

PHILLIPS LYTLE LLP

By 

Peter K. Sommer, Esq.

Reg. No. 26,587

3400 HSBC Center

Buffalo, New York 14203-2887

Telephone No. (716) 847-8400

Telecopier No. (716) 852-6100

Attorneys for Applicant

Buffalo, New York

June 15, 2006

Appl. No. 10/765,807

Supplemental Amendment dated June 15, 2006

Response to Office Action of March 24, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

I certify that this correspondence is being facsimile transmitted to Tel. No. (571) 273-8300 on June 15, 2006.

PHILLIPS LYTLE LLP

By 

Peter K. Sommer, Esq.

Reg. No. 26,587

Signed: June 15, 2006

Doc#1566808.2